



2022 Vulnerability Assessment: Benton County

Opioid Overdose



Bloodborne Infection



Benton County ranked in the 5th quintile (96th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (93rd) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Benton County did not place in the 5th quintile for any individual opioid indicator, but because of its consistent placement in the 4th quintile combined with several indicators in the 4th and 5th quintile in the community factors, this resulted in the overall index placing it in the 5th quintile. For the bloodborne infection assessment, the county's worst ranking was for the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients which ranked at 95th. Social and economic factors were also included in these assessments, and the county's unemployment rate, at a ranking of 112th, was its lowest ranking.

Community Factors for Benton County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	15.5%	84
Median Income	\$40,249	94
Poverty	17.7%	79
Unemployment	8.0%	112
Uninsured	8.9%	62

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Benton (associated rank)	13 (71)	22.30 (85)	11 (71)	18.90 (81)	104 (53)	1.78 (45)	55 (66)	93.40 (78)	63 (65)	321.00 (76)	5.10 (71)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Benton (associated rank)	13 (71)	22.30 (85)	11 (71)	18.90 (81)	52 (61)	89.10 (77)	11 (44)	302.60 (56)	104 (53)	1.78 (45)	90 (70)	152.90 (95)	63 (65)	321.00 (76)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Buchanan County

Opioid Overdose



Bloodborne Infection



Buchanan County ranked in the 5th quintile (99th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (109th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Buchanan County ranked in the 5th quintile for 7 out of 11 indicators with the rate of opioid misuse ER visits being the worst at 113th. For the bloodborne infection assessment, it ranked in the 5th quintile for 11 out of 14 indicators with the rate of opioid misuse ER visits again being their worst ranking. Social and economic factors were also included in these assessments, but the county did not place in the 5th quintile for any of those indicators.

Community Factors for Buchanan County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	11.7%	42
Median Income	\$51,916	33
Poverty	17.2%	75
Unemployment	4.6%	65
Uninsured	8.7%	57

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Buchanan (associated rank)	55 (101)	21.00 (83)	53 (103)	20.20 (85)	1,499 (106)	5.71 (113)	330 (103)	127.10 (98)	345 (104)	398.70 (90)	5.00 (58)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Buchanan (associated rank)	55 (101)	21.00 (83)	53 (103)	20.20 (85)	588 (110)	224.00 (110)	307 (109)	1,134.30 (111)	1,499 (106)	5.71 (113)	544 (107)	209.60 (109)	345 (104)	398.70 (90)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Butler County

Opioid Overdose



Bloodborne Infection



Butler County ranked in the 5th quintile (111th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (110th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Butler County ranked in the 5th quintile for 9 out of 11 indicators with the rate of opioid-related Substance Use Disorder Treatment (SUDT) being its worst ranking at 113th. For the bloodborne infection assessment, it ranked in the 5th quintile for 12 out of 14 indicators with the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients being its worst ranking at 112th. Social and economic factors were also included in these assessments, and the county's unemployment rate and poverty rate having the lowest rankings.

Community Factors for Butler County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	17.0%	96
Median Income	\$39,915	96
Poverty	23.7%	104
Unemployment	7.9%	110
Uninsured	9.7%	69

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Butler (associated rank)	43 (98)	33.80 (102)	46 (100)	36.10 (108)	601 (99)	4.72 (108)	289 (102)	228.40 (113)	67 (67)	158.90 (42)	5.30 (94)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Butler (associated rank)	43 (98)	33.80 (102)	46 (100)	36.10 (108)	157 (99)	123.30 (95)	66 (97)	567.00 (95)	601 (99)	4.72 (108)	281 (101)	222.10 (112)	67 (67)	158.90 (42)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Callaway County

Opioid Overdose



Bloodborne Infection



Callaway County ranked in the 3rd quintile (65th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (102nd) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Callaway County's worst ranking was for the rate of drug-related arrests at 114th. For the bloodborne infection assessment, its worst ranking was for the rate of HIV, HBV, and HCV and for the rate of HCV among ages 18 to 40; both were ranked 115th. Social and economic factors were also included in these assessments, and the county's rate of a lack of a high school education was its worst ranking.

Community Factors for Callaway County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	13.8%	72
Median Income	\$56,938	19
Poverty	10.6%	17
Unemployment	3.3%	19
Uninsured	7.0%	28

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Callaway (associated rank)	23 (86)	17.10 (73)	19 (85)	14.10 (66)	401 (92)	2.98 (93)	98 (86)	72.80 (61)	381 (106)	848.80 (114)	4.60 (13)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Callaway (associated rank)	23 (86)	17.10 (73)	19 (85)	14.10 (66)	540 (109)	401.40 (115)	338 (110)	2,412.70 (115)	401 (92)	2.98 (93)	141 (86)	104.70 (63)	381 (106)	848.80 (114)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Crawford County

Opioid Overdose



Bloodborne Infection



Crawford County ranked in the 5th quintile (115th out of 115 counties) for the opioid overdose vulnerability assessment, and in the 5th quintile (115th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Crawford County ranked in the 5th quintile for 7 out of 11 indicators with the rate of opioid-related SUDT being its worst ranking at 114th. For the bloodborne infection assessment, it ranked in the 5th quintile for 7 out of 14 indicators with the rate of opioid misuse ER visits being its worst ranking at 111th. Social and economic factors were also included in these assessments, and the county's rate of unemployment and lack of a high school education had the lowest rankings.

Community Factors for Crawford County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	22.1%	109
Median Income	\$44,438	69
Poverty	18.5%	84
Unemployment	9.7%	114
Uninsured	13.7%	107

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Crawford (associated rank)	22 (84)	30.70 (100)	23 (89)	32.10 (103)	369 (90)	5.15 (111)	177 (95)	248.50 (114)	157 (90)	661.40 (107)	5.50 (108)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Crawford (associated rank)	22 (84)	30.70 (100)	23 (89)	32.10 (103)	100 (83)	139.60 (98)	49 (88)	802.00 (104)	369 (90)	5.15 (111)	147 (88)	206.40 (108)	157 (90)	661.40 (107)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Dent County

Opioid Overdose



Bloodborne Infection



Dent County ranked in the 5th quintile (113th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (108th) for the bloodborne infection vulnerability assessment. In both the opioid overdose and the bloodborne infection assessments, Dent County's worst ranking was for the rate of drug OD deaths by county of record at 114th. Social and economic factors were also included in these assessments, and the county's rate of poverty and rate of uninsured had the lowest rankings.

Community Factors for Dent County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	9.9%	94
Median Income	\$41,929	87
Poverty	23.8%	102
Unemployment	5.7%	81
Uninsured	7.0%	99

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Dent (associated rank)	19 (83)	40.90 (108)	21 (88)	45.20 (114)	163 (71)	3.51 (99)	98 (86)	211.00 (112)	61 (63)	394.00 (88)	5.30 (94)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Dent (associated rank)	19 (83)	40.90 (108)	21 (88)	45.20 (114)	40 (56)	86.00 (74)	16 (52)	427.20 (79)	163 (71)	3.51 (99)	77 (64)	165.80 (99)	61 (63)	394.00 (88)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Dunklin County

Opioid Overdose



Bloodborne Infection



Dunklin County ranked in the 5th quintile (103rd out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (96th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Dunklin County's worst ranking was for the rate of poor mental health days. For the bloodborne infection assessment, its worst ranking was for the rate of drug-related arrests. Social and economic factors were also included in these assessments, and they had a large impact on Dunklin County's rank, with all of the factors ranking in the 5th quintile.

Community Factors for Dunklin County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	23.7%	113
Median Income	\$36,380	105
Poverty	25.7%	112
Unemployment	6.8%	102
Uninsured	12.6%	104

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Dunklin (associated rank)	14 (73)	16.00 (66)	9 (64)	10.30 (53)	144 (68)	1.65 (37)	63 (72)	72.70 (60)	161 (91)	557.50 (103)	5.70 (113)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Dunklin (associated rank)	14 (73)	16.00 (66)	9 (64)	10.30 (53)	83 (74)	94.90 (82)	25 (69)	333.50 (59)	144 (68)	1.65 (37)	100 (73)	115.40 (71)	161 (91)	557.50 (103)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Greene County

Opioid Overdose



Bloodborne Infection



Greene County ranked in the 4th quintile (92nd out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (99th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Greene County ranked in the 5th quintile for 9 out of 11 indicators with its worst ranking in the count of opioid-related Substance Use Disorder Treatment (SUDT) at 112th. For the bloodborne infection assessment, it ranked in the 5th quintile for 11 out of 14 indicators with its worst ranking at 112th for both the count of HIV, HBV, HCV and count of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients. Social and economic factors were also included in these assessments, but the county did not place in the 5th quintile for any of the indicators.

Community Factors for Greene County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	8.2%	13
Median Income	\$46,086	60
Poverty	16.4%	62
Unemployment	3.8%	33
Uninsured	8.6%	55

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Greene (associated rank)	242 (110)	27.50 (96)	295 (111)	33.50 (105)	3,839 (111)	4.36 (105)	1,208 (112)	136.50 (103)	767 (111)	260.00 (62)	4.90 (39)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Greene (associated rank)	242 (110)	27.50 (96)	295 (111)	33.50 (105)	1,036 (112)	117.70 (92)	374 (111)	362.40 (65)	3,839 (111)	4.36 (105)	1,537 (112)	173.70 (102)	767 (111)	260.00 (62)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Howell County

Opioid Overdose



Bloodborne Infection



Howell County ranked in the 5th quintile (94th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (97th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Howell County's worst ranking was for the rate of opioid-related Substance Use Disorder Treatment (SUDT). For the bloodborne infection assessment, its worst ranking was for the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients. The county also placed in the 5th quintile for three other factors in the bloodborne infection assessment. Social and economic factors were also included in these assessments, and the county's median income was its lowest rank.

Community Factors for Howell County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	13.0%	63
Median Income	\$38,357	102
Poverty	22.3%	100
Unemployment	4.1%	47
Uninsured	11.3%	91

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Howell (associated rank)	12 (65)	10.00 (27)	13 (73)	10.80 (56)	288 (84)	2.39 (70)	159 (94)	131.60 (100)	98 (77)	243.40 (56)	5.20 (84)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Howell (associated rank)	12 (65)	10.00 (27)	13 (73)	10.80 (56)	152 (97)	126.20 (96)	57 (92)	541.60 (91)	288 (84)	2.39 (70)	213 (98)	176.30 (103)	98 (77)	243.40 (56)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Iron County

Opioid Overdose



Bloodborne Infection



Iron County ranked in the 5th quintile (105th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (103rd) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Iron County's worst ranking was for the rate of opioid misuse ER visits. For the bloodborne infection assessment, its worst ranking was also for the rate of opioid misuse ER visits with the rate of HCV among ages 18 to 40 close behind. Social and economic factors were also included in these assessments, and the county's median income was its worst ranking factor.

Community Factors for Iron County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	18.5%	99
Median Income	\$37,435	103
Poverty	22.3%	100
Unemployment	6.4%	95
Uninsured	10.1%	73

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Iron (associated rank)	8 (54)	26.30 (93)	6 (53)	19.70 (84)	138 (66)	4.54 (106)	36 (56)	118.80 (92)	<5 (11)	29.70 (13)	5.40 (100)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Iron (associated rank)	8 (54)	26.30 (93)	6 (53)	19.70 (84)	34 (50)	111.80 (89)	17 (55)	697.90 (102)	138 (66)	4.54 (106)	37 (40)	122.10 (77)	<5 (11)	29.70 (13)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Laclede County

Opioid Overdose



Bloodborne Infection



Laclede County ranked in the 4th quintile (91st out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (101st) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Laclede County's worst ranking was for the rate of drug OD deaths by county of record at 102nd. For the bloodborne infection assessment, it was for the rate of IDU among SUDT recipients at 107th. Social and economic factors were also included in these assessments, and the county's worst ranking was the rate of unemployment at 95th.

Community Factors for Laclede County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	14.8%	77
Median Income	\$47,257	51
Poverty	15.0%	48
Unemployment	6.4%	95
Uninsured	8.6%	55

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Laclede (associated rank)	32 (92)	29.80 (99)	30 (93)	28.00 (102)	258 (82)	2.40 (72)	88 (81)	81.70 (71)	108 (81)	300.90 (72)	5.00 (58)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Laclede (associated rank)	32 (92)	29.80 (99)	30 (93)	28.00 (102)	89 (79)	82.90 (68)	47 (87)	492.80 (84)	258 (82)	2.40 (72)	218 (99)	202.40 (107)	108 (81)	300.90 (72)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Madison County

Opioid Overdose



Bloodborne Infection



Madison County ranked in the 5th quintile (93rd out of 115 counties) for the opioid overdose vulnerability assessment and in the 3rd quintile (67th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Madison County's worst ranking was for the rate of drug OD deaths by county of residence. This factor was also the county's worst ranking for the bloodborne infection assessment. While social and economic factors were included in both of the assessments, they did not have an indicator place in the 5th quintile; the worst ranking for the community factors was the percent of the county's population without a high school education.

Community Factors for Madison County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	15.6%	86
Median Income	\$43,636	80
Poverty	14.2%	39
Unemployment	4.3%	53
Uninsured	8.1%	49

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Madison (associated rank)	10 (59)	27.50 (96)	9 (64)	24.70 (94)	106 (55)	2.91 (91)	34 (54)	93.60 (79)	25 (37)	206.40 (49)	5.10 (71)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Madison (associated rank)	10 (59)	27.50 (96)	9 (64)	24.70 (94)	19 (26)	52.20 (35)	11 (44)	358.40 (63)	106 (55)	2.91 (91)	39 (43)	107.30 (65)	25 (37)	206.40 (49)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Mississippi County

Opioid Overdose



Bloodborne Infection



Mississippi County ranked in the 5th quintile (112th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (112th) for the bloodborne vulnerability assessment as well. In the opioid overdose assessment, Mississippi County's worst ranking was for the rate of opioid-related Substance Use Disorder Treatment (SUDT). For the bloodborne assessment, it was for the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients. Social and economic factors were also included in these assessments and had a major impact on Mississippi County's ranking with all 5 of the community factors placing in the 5th quintile. The percent of the county's population without a high school education ranked 115th, placing it last out of all of Missouri's counties for this factor.

Community Factors for Mississippi County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	24.3%	115
Median Income	\$35,357	106
Poverty	25.3%	109
Unemployment	8.9%	113
Uninsured	12.8%	105

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Mississippi (associated rank)	5 (36)	12.80 (43)	6 (53)	15.30 (69)	137 (65)	3.49 (98)	60 (69)	157.60 (105)	47 (57)	370.30 (82)	5.40 (100)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Mississippi (associated rank)	5 (36)	12.80 (43)	6 (53)	15.30 (69)	84 (76)	214.20 (109)	34 (76)	864.00 (105)	137 (65)	3.49 (98)	84 (69)	220.60 (111)	47 (57)	370.30 (82)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: New Madrid County

Opioid Overdose



Bloodborne Infection



New Madrid County ranked in the 5th quintile (100th out of 115 counties) for the opioid overdose vulnerability assessment and in the 3rd quintile (67th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, New Madrid County's worst ranking was for the rate of poor mental health days. For the bloodborne infection assessment, none of the indicators placed in the 5th quintile, but the indicator that ranked the worst was the rate of drug OD deaths by county of residence. Social and economic factors were included in both of these assessments and had a major impact on the county's rankings with all 5 factors placing in the 5th quintile. The worst ranked factor was the percent of the county's population without a high school education at 107th.

Community Factors for New Madrid County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	21.3%	107
Median Income	\$38,679	101
Poverty	22.2%	99
Unemployment	6.4%	95
Uninsured	12.3%	100

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
New Madrid (associated rank)	12 (65)	23.50 (86)	8 (58)	15.70 (74)	120 (59)	2.35 (68)	32 (49)	63.90 (52)	52 (60)	311.50 (75)	5.40 (100)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
New Madrid (associated rank)	12 (65)	23.50 (86)	8 (58)	15.70 (74)	28 (41)	54.80 (36)	7 (27)	161.40 (32)	120 (59)	2.35 (68)	39 (43)	77.90 (41)	52 (60)	311.50 (75)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Pemiscot County

Opioid Overdose



Bloodborne Infection



Pemiscot County ranked in the 5th quintile (97th out of 115 counties) for the opioid overdose vulnerability assessment and in the 4th quintile (77th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Pemiscot County's worst ranking was for the rate of poor mental health days. For the bloodborne infection assessment, it was for the rate of drug-related arrests. Social and economic factors were also included in these assessments, and the county's median income and rate of poverty tied for its lowest rank at 113th.

Community Factors for Pemiscot County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	22.2%	110
Median Income	\$33,859	113
Poverty	27.4%	113
Unemployment	7.9%	110
Uninsured	11.1%	86

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Pemiscot (associated rank)	7 (48)	14.70 (61)	9 (64)	18.90 (81)	76 (40)	1.59 (34)	24 (43)	51.30 (44)	61 (63)	391.00 (86)	5.70 (113)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Pemiscot (associated rank)	7 (48)	14.70 (61)	9 (64)	18.90 (81)	34 (50)	71.30 (65)	5 (23)	119.00 (23)	76 (40)	1.59 (34)	52 (53)	111.10 (68)	61 (63)	391.00 (86)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Phelps County

Opioid Overdose



Bloodborne Infection



Phelps County ranked in the 5th quintile (102nd out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (107th) for the bloodborne infection vulnerability assessment also. In the opioid overdose assessment, Phelps County ranked in the 5th quintile for 10 out of 11 indicators with the rate of drug OD deaths by residence county, the rate of drug OD deaths by county of record, and the rate of opioid-related Substance Use Disorder Treatment (SUDT) ranking the worst at 110th. For the bloodborne infection assessment, the county ranked in the 5th quintile for 11 out of 14 indicators with the rate of drug OD deaths by residence county and the rate of drug OD deaths by county of record both ranking the worst at 110th. Social and economic factors were also included in these assessments, and the county's rate of poverty was its lowest rank.

Community Factors for Phelps County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	11.7%	42
Median Income	\$44,154	74
Poverty	20.6%	93
Unemployment	5.2%	77
Uninsured	6.6%	24

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Phelps (associated rank)	55 (101)	41.10 (110)	52 (102)	38.90 (110)	526 (98)	3.93 (101)	241 (99)	180.90 (110)	260 (101)	585.40 (106)	4.80 (23)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Phelps (associated rank)	55 (101)	41.10 (110)	52 (102)	38.90 (110)	124 (90)	92.70 (81)	70 (98)	448.70 (81)	526 (98)	3.93 (101)	195 (96)	146.40 (93)	260 (101)	585.40 (106)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Randolph County

Opioid Overdose



Bloodborne Infection



Randolph County ranked in the 4th quintile (73rd out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (100th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Randolph County's worst ranking was for the rate of drug-related arrests at 95th. For the bloodborne infection assessment, the worst ranking was for the rate of HCV among ages 18 to 40 at 110th with the rate of HIV, HBV, HCV not too far behind at 108th. Social and economic factors were also included in these assessments, and the county did not place in the 5th quintile for any of these indicators.

Community Factors for Randolph County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	13.1%	64
Median Income	\$47,740	47
Poverty	16.4%	62
Unemployment	5.4%	81
Uninsured	7.4%	34

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Randolph (associated rank)	8 (54)	10.80 (35)	5 (49)	6.80 (33)	175 (74)	2.37 (69)	54 (64)	73.70 (62)	103 (78)	422.00 (95)	5.00 (58)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Randolph (associated rank)	8 (54)	10.80 (35)	5 (49)	6.80 (33)	153 (98)	207.00 (108)	74 (99)	973.70 (110)	175 (74)	2.37 (69)	112 (79)	152.90 (95)	103 (78)	422.00 (95)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Ripley County

Opioid Overdose



Bloodborne Infection



Ripley County ranked in the 5th quintile (101st out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (95th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Ripley County's worst ranking was for the rate of poor mental health days at a rank of 113th. For the bloodborne infection assessment, its worst ranking was for the rate of opioid misuse ER visits ranking 93rd. Social and economic factors were also included in these assessments, and the county's rate of poverty was its worst ranking factor.

Community Factors for Ripley County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	20.1%	103
Median Income	\$34,971	108
Poverty	25.4%	111
Unemployment	5.8%	87
Uninsured	10.9%	84

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Ripley (associated rank)	<5 (16)	5.00 (14)	<5 (24)	5.00 (23)	119 (57)	2.98 (93)	47 (61)	117.80 (90)	40 (53)	300.80 (71)	5.70 (113)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Ripley (associated rank)	<5 (16)	5.00 (14)	<5 (24)	5.00 (23)	46 (58)	115.00 (91)	17 (55)	516.90 (88)	119 (57)	2.98 (93)	46 (50)	115.30 (70)	40 (53)	300.80 (71)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Scott County

Opioid Overdose



Bloodborne Infection



Scott County ranked in the 5th quintile (106th out of 115 counties) for the opioid overdose vulnerability assessment and in the 4th quintile (87th) for the bloodborne infection vulnerability assessment. In both the opioid overdose and the bloodborne infection assessments, Scott County's worst ranking was for the rate of drug-related arrests, both ranking 109th. While social and economic factors were included in both of these assessments, they did not have any indicator fall in the 5th quintile with the worst factor being the rate of poverty ranked at 89th.

Community Factors for Scott County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	15.0%	79
Median Income	\$44,139	75
Poverty	19.8%	89
Unemployment	4.4%	57
Uninsured	10.0%	72

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Scott (associated rank)	16 (78)	13.90 (53)	17 (83)	14.80 (67)	328 (87)	2.85 (88)	182 (96)	158.40 (106)	256 (100)	668.60 (109)	5.10 (71)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Scott (associated rank)	16 (78)	13.90 (53)	17 (83)	14.80 (67)	71 (66)	61.70 (48)	18 (58)	171.70 (35)	328 (87)	2.85 (88)	151 (90)	131.50 (85)	256 (100)	668.60 (109)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: St. Francois

Opioid Overdose



Bloodborne Infection



St. Francois County ranked in the 5th quintile (107th out of 115 counties) for the opioid overdose vulnerability assessment and was in the 5th quintile (111th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, St. Francois County ranked in the 5th quintile for 9 out of 11 indicators. For the bloodborne infection assessment, St. Francois County ranked in the 5th quintile for 13 out of 14 indicators and ranked 114th for 3 of those indicators. Social and economic factors were also included in these assessments, but the county did not rank within the 5th quintile for any of these indicators.

Community Factors for St. Francois

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	15.2%	81
Median Income	\$46,466	57
Poverty	15.5%	55
Unemployment	5.0%	76
Uninsured	7.5%	37

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
St. Francois (associated rank)	71 (106)	35.40 (103)	65 (106)	32.40 (104)	1,216 (105)	6.07 (114)	401 (106)	201.00 (111)	185 (93)	278.30 (66)	5.10 (71)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
St. Francois (associated rank)	71 (106)	35.40 (103)	65 (106)	32.40 (104)	780 (111)	389.20 (114)	458 (112)	2,186.40 (114)	1,216 (105)	6.07 (114)	374 (105)	187.50 (105)	185 (93)	278.30 (66)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: St. Louis City

Opioid Overdose



Bloodborne Infection



St. Louis City ranked in the 5th quintile (110th out of 115 counties) for the opioid overdose vulnerability assessment and was in the 5th quintile (112th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, St. Louis City placed in the 5th quintile for 9 out of 11 indicators and was ranked the worst out of all counties in 6 of those indicators. For the bloodborne infection assessment, St. Louis City placed in the 5th quintile for 12 of the 14 indicators and was ranked the worst of all counties in 5 of those indicators. Social and economic factors were also included in these assessments, and the city's rate of unemployment was its lowest rank at 104.

Community Factors for St. Louis City

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	12.2%	50
Median Income	\$43,896	79
Poverty	21.8%	97
Unemployment	7.0%	104
Uninsured	8.9%	62

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
St. Louis City (associated rank)	768 (114)	85.20 (115)	1,083 (115)	120.20 (115)	9,323 (114)	10.35 (115)	4,823 (115)	540.10 (115)	1,133 (112)	380.70 (84)	5.00 (58)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
St. Louis City (associated rank)	768 (114)	85.20 (115)	1,083 (115)	120.20 (115)	1,734 (113)	192.40 (107)	532 (114)	466.40 (83)	9,323 (114)	10.35 (115)	2,270 (115)	254.20 (114)	1,133 (112)	380.70 (84)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Stoddard County

Opioid Overdose



Bloodborne Infection



Stoddard County ranked in the 5th quintile (98th out of 115 counties) for the opioid overdose vulnerability assessment and in the 4th quintile (82nd) for the bloodborne infection vulnerability assessment. In both the opioid overdose assessment and the bloodborne infection assessment, Stoddard County's worst ranking was for the rate of drug-related arrests. Even though Stoddard County only had one indicator place in the 5th quintile for both assessments, many other indicators placed high in the 4th quintile for the opioid overdose assessment raising its overall placement into the 5th quintile. Social and economic factors were also included in these assessments, and the percent of the county's population without a high school education was its lowest rank.

Community Factors for Stoddard County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	19.1%	100
Median Income	\$41,062	91
Poverty	18.2%	83
Unemployment	5.5%	83
Uninsured	9.1%	64

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Stoddard (associated rank)	13 (71)	14.90 (63)	15 (78)	17.20 (78)	189 (76)	2.17 (61)	102 (88)	117.20 (89)	137 (87)	472.40 (99)	5.10 (71)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Stoddard (associated rank)	13 (71)	14.90 (63)	15 (78)	17.20 (78)	54 (63)	61.90 (50)	18 (58)	231.60 (41)	189 (76)	2.17 (61)	102 (74)	117.20 (73)	137 (87)	472.40 (99)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Stone County

Opioid Overdose



Bloodborne Infection



Stone County ranked in the 4th quintile (87th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (98th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Stone County's worst ranking was for the rate of opioid misuse ER visits at 100th. For the bloodborne infection assessment, its worst ranking was also for the rate of opioid misuse ER visits, but an additional indicator, the rate of HCV among ages 18 to 40, also placed in the 5th quintile. Social and economic factors were also included in these assessments, and the county's unemployment rate was its worst ranking at 95th.

Community Factors for Stone County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	12.8%	59
Median Income	\$49,656	41
Poverty	12.9%	28
Unemployment	6.4%	95
Uninsured	7.6%	40

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Stone (associated rank)	23 (86)	23.90 (88)	15 (78)	15.60 (72)	351 (89)	3.65 (100)	81 (80)	83.20 (72)	93 (75)	286.50 (68)	5.00 (58)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Stone (associated rank)	23 (86)	23.90 (88)	15 (78)	15.60 (72)	85 (77)	88.40 (76)	37 (79)	608.20 (96)	351 (89)	3.65 (100)	134 (83)	137.60 (91)	93 (75)	286.50 (68)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Taney County

Opioid Overdose



Bloodborne Infection



Taney County ranked in the 5th quintile (95th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (105th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Taney County ranked in the 5th quintile for 6 out of 11 indicators with the rate of opioid misuse ER visits being its worst ranking at 110th. For the bloodborne infection assessment, Taney County ranked in the 5th quintile for 10 out of 14 indicators with the worst ranking being in the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients at 113th. Social and economic factors were also included in these assessments, and the county's rate of uninsured was the worst with a rank of 102.

Community Factors for Taney County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	11.1%	35
Median Income	\$46,031	61
Poverty	14.7%	43
Unemployment	4.8%	72
Uninsured	12.4%	102

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Taney (associated rank)	34 (93)	20.30 (81)	35 (94)	20.80 (88)	852 (103)	5.07 (110)	277 (101)	164.60 (107)	112 (84)	199.60 (48)	4.90 (39)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Taney (associated rank)	34 (93)	20.30 (81)	35 (94)	20.80 (88)	205 (101)	122.10 (94)	98 (101)	639.20 (98)	852 (103)	5.07 (110)	406 (106)	241.20 (113)	112 (84)	199.60 (48)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Texas County

Opioid Overdose



Bloodborne Infection



Texas County ranked in the 5th quintile (104th out of 115 counties) for the opioid overdose vulnerability assessment and in the 5th quintile (104th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Texas County's worst ranking was for the rate of drug OD deaths by residence county at 98th. For the bloodborne infection assessment, its worst ranking was for the rate of HCV among ages 18 to 40 at 108th. Social and economic factors were also included in these assessments and the county's rate of poverty and unemployment had the lowest rankings with the county's median income ranking not far behind.

Community Factors for Texas County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	16.4%	91
Median Income	\$35,067	107
Poverty	25.3%	109
Unemployment	7.5%	108
Uninsured	11.6%	96

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Texas (associated rank)	22 (84)	28.90 (98)	18 (84)	23.70 (92)	149 (69)	1.96 (54)	65 (73)	86.30 (74)	73 (70)	290.70 (69)	5.30 (94)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Texas (associated rank)	22 (84)	28.90 (98)	18 (84)	23.70 (92)	134 (93)	176.10 (103)	60 (94)	899.00 (108)	149 (69)	1.96 (54)	62 (57)	82.30 (47)	73 (70)	290.70 (69)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Washington County

Opioid Overdose



Bloodborne Infection



Washington County ranked in the 5th quintile (114th out of 115 counties) for the opioid overdose vulnerability assessment and was in the 5th quintile (114th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Washington County ranked in the 5th quintile for 6 out of 11 indicators. For the bloodborne infection assessment, Washington County was ranked in the 5th quintile for 8 of 14 indicators, with the rate of drug-related arrests being the worst ranked indicator in both assessments. Social and economic factors were also included in these assessments, and the percent of the county's population without a high school education was its lowest rank followed by the rate of unemployment.

Community Factors for Washington County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	23.1%	112
Median Income	\$41,483	90
Poverty	20.1%	90
Unemployment	7.3%	107
Uninsured	10.5%	80

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Washington (associated rank)	28 (89)	37.70 (106)	20 (87)	26.90 (99)	369 (90)	4.97 (109)	92 (84)	124.60 (96)	166 (92)	674.70 (110)	5.40 (100)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Washington (associated rank)	28 (89)	37.70 (106)	20 (87)	26.90 (99)	134 (93)	180.40 (104)	63 (95)	958.20 (109)	369 (90)	4.97 (109)	81 (68)	109.70 (67)	166 (92)	674.70 (110)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Wayne County

Opioid Overdose



Bloodborne Infection



Wayne County ranked in the 5th quintile (109th out of 115 counties) for the opioid overdose vulnerability assessment and was in the 5th quintile (106th) for the bloodborne infection vulnerability assessment as well. In the opioid overdose assessment, Wayne county ranked in the 5th quintile for 3 out of 11 indicators with the worst ranking indicator being the rate of drug-related arrests at 113th. For the bloodborne infection assessment, Wayne County was ranked in the 5th quintile for the rate of HCV among ages 18 to 40 and for the rate of drug-related arrests. Social and economic factors were also included in these assessments, and Wayne county ranked in the 5th quintile for all 5 of the community factors.

Community Factors for Wayne County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	23.8%	114
Median Income	\$34,316	110
Poverty	24.1%	107
Unemployment	6.5%	100
Uninsured	11.4%	93

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Wayne (associated rank)	7 (48)	18.10 (78)	<5 (24)	5.20 (25)	90 (46)	2.32 (65)	51 (62)	133.10 (101)	105 (80)	822.30 (113)	5.50 (108)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50


Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue


County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Wayne (associated rank)	7 (48)	18.10 (78)	<5 (24)	5.20 (25)	33 (48)	85.10 (73)	19 (61)	667.40 (100)	90 (46)	2.32 (65)	51 (52)	133.10 (86)	105 (80)	822.30 (113)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90

2022 Vulnerability Assessment: Wright County

Opioid Overdose



Bloodborne Infection



Wright County ranked in the 5th quintile (108th out of 115 counties) for the opioid overdose vulnerability assessment and was in the 5th quintile (94th) for the bloodborne infection vulnerability assessment. In the opioid overdose assessment, Wright County ranked in the 5th quintile for the rate of drug related arrests and the rate of poor mental health days. For the bloodborne infection assessment, Wright County was ranked in the 5th quintile for the rate of Injection Drug Use (IDU) among Substance Use Disorder Treatment (SUDT) recipients and the rate of drug-related arrests. Social and economic factors were also included in these assessments, and Wright County ranked in the 5th quintile for all 5 of the community factor indicators with its worst ranking being median income.

Community Factors for Wright County

NOTE: Indicators in the 5th quintile are shaded in green

ACS Data 2015-2019	Rate	Rank
Lack of a High School Education	19.6%	101
Median Income	\$34,776	109
Poverty	24.2%	108
Unemployment	7.5%	108
Uninsured	13.7%	107

Opioid Overdose Indicators

NOTE: Indicators in the 5th quintile are shaded in orange

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Opioid-related Substance Use Disorder Treatment (SUDT)	Rate: Opioid-related Substance Use Disorder Treatment (SUDT)	Count: Drug-related Arrests	Rate: Drug-related Arrests	Rate: Poor Mental Health Days
Wright (associated rank)	8 (54)	14.50 (59)	<5 (24)	3.60 (16)	122 (60)	2.22 (63)	54 (64)	98.20 (84)	104 (79)	567.50 (104)	5.50 (108)
Missouri	5,067	27.50	5,157	28.00	62,778	3.41	22,385	121.30	88,268	1,434.90	4.50

Bloodborne Infection Indicators

NOTE: Indicators in the 5th quintile are shaded in blue

County	Count: Drug OD Deaths by Residence County	Rate: Drug OD Deaths by Residence County	Count: Drug OD Deaths by County of Record	Rate: Drug OD Deaths by County of Record	Count: HIV, HBV, HCV	Rate: HIV, HBV, HCV	Count: HCV Among Ages 18 to 40	Rate: HCV Among Ages 18 to 40	Count: Opioid Misuse ER Visits	Rate: Opioid Misuse ER Visits	Count: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Rate: Injection Drug Use (IDU) Among Substance Use Disorder Treatment (SUDT) Recipients	Count: Drug-related Arrests	Rate: Drug-related Arrests
Wright (associated rank)	8 (54)	14.50 (59)	<5 (24)	3.60 (16)	34 (50)	61.80 (49)	11 (44)	242.30 (45)	122 (60)	2.22 (63)	103 (75)	187.40 (104)	104 (79)	567.50 (104)
Missouri	5,067	27.50	5,157	28.00	16,759	91	6,388	343.60	62,778	3.41	19,574	106.10	88,268	1,434.90